## AB-NK165-3 RSK2-PCT Antibody

Pan-specific polyclonal antibody for monitoring the expression of human protein-serine/threonine kinase RSK2 (RPS6KA3)



Email: info@kinexus.ca Phone: 604-323-2547

Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Target Protein	
Name Long:	Ribosomal S6 protein-serine kinase 2; Ribosomal protein S6 kinase alpha-3
Alias:	90 kDa ribosomal protein S6 kinase 3; CLS; HU-3; Insulin-stimulated protein kinase 1; ISPK1; ISPK-1; KS6A3; MAPKAPK1B; MRX19; pp90RSK2; RP11-393H10_3; RPS6KA3; S6K-alpha 3
UniProt ID:	P51812
Sequence Predicted Mass (KDa):	83.736 (740 AA; P51812)
Observed SDS-PAGE Mass (KDa):	80-85
Immunogen	
Antibody Immunogen Source:	Human RSK2 (RPS6KA3) sequence peptide Cat. No.: PE-01AQN85
Antibody Immunogen Sequence:	CNRNQSPVLEPVGRS
Location in Target:	Corresponds to amino acid residues N711 to S724; Pre-C-terminus
Peptide Type:	For pan-specific recognition of target expression levels.
Target Phosphosite:	Not phosphorylated
Production	
Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.
Antibody Amount:	25 μg
Antibody Concentration:	0.5 mg/ml
Lot Number:	160520
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

## AB-NK165-3 RSK2-PCT Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications	
Product Use:	Western blotting   Antibody microarrays
Antibody Dilution Recommended:	2 µg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Detection by Immunoblotting in Cell/Tissue Lysates:	Very strong immunoreactivity of a target-sized protein by Western blotting in mouse brain.
Overall Antibody Specificity:	Medium-High selectivity
Antibody Cross Reactivities:	Some strong cross-reactive proteins (~39 KDa and ~24 KDa) in mouse brain and (~50 KDa and ~45 KDa) in muscle, and (~24 KDa) in testes.

This product is for in vitro research use only and is not intended for use in humans or animals.